



Shefa Health Care Pvt. Ltd.
A-10/1, MIDC Taloja,
Taluka: Panvel, Dist: Raigad 410208

QUALITY CONTROL DEPARTMENT
CERTIFICATE OF ANALYSIS

Name of the Product: Virosil Pharma
Batch No.: VPS 1450
Batch size: 1000 Ltrs.
Mfg. Date: 12/2014
Exp. Date: 11/2015
Party: Sanosil Biotech (P) Ltd

Serial No.: 460
A.R. No.: FP/460/14
Date of sampling: 15.12.14
Date of release: 22.12.14
Qty. sampled: 2 x 100 ml
Sampled by: AAP

Sr. No	Test Performed	Observation	Limit/ Specification
1	Description	Clear, colorless liquid.	Clear, colorless liquid.
2	pH	1.87	1.5-2.0
3	Specific Gravity	1.026g/ml	1.02-1.04 g/ml
4	Assay - Hydrogen Peroxide	10.84 % w/v	9.0%-11.0 % w/v
5	Assay - Silver Nitrate	0.009854 % w/v*	0.009%-0.011 %w/v
6	Microbiological purity :		
	Total microbial count	No colonies observed	NMT 10 cfu/ml
	Total yeasts & mould count	No colonies observed	NMT 10 cfu/ml
	Pathogens :		
	E.coli	Absent	Must be absent
	Salmonella	Absent	Must be absent
	S.aureus	Absent	Must be absent
	P.aeruginosa	Absent	Must be absent

* Complies as per Manisha Analytical Lab COA No.: F/14/1512/069 dtd. 17.12.14

Remarks: The product complies as per IH specifications.

Analysed by:	Checked by: (QC Manager)	Quality Assurance Department
Signature/Date: <i>APotil</i> 22.12.14	Signature/Date: <i>RS</i> 22.12.14	Signature/Date: <i>Blad</i> 22.12.14